



## SECTION 1: Identification of the substance / preparation and of the company

### 1.1 Product identifier

**febi 08971 automatic transmission fluid (ATF)  
Article number 08971, 30017, 78971**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

#### Company

Ferdinand Bilstein GmbH + Co. KG  
Wilhelmstr. 47  
58256 Ennepetal / GERMANY  
Phone +49 2333 911-0  
Fax +49 2333 911-444  
Homepage [www.febi.com](http://www.febi.com)  
E-mail [info@febi.com](mailto:info@febi.com)

#### Address enquiries to

##### Technical information

[info@febi.com](mailto:info@febi.com)

##### Safety Data Sheet

[info@febi.com](mailto:info@febi.com)

### 1.4 Emergency phone

#### Advisory body

+49 (0)89-19240 (24h) (english)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

#### 2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

### 2.2 Label elements

#### Labelling according to Regulation 67/548/EEC or 1999/45/EC

The product does not require a hazard warning label in accordance with EC-directives.

##### Hazard symbols

none

##### R-phrases

none

##### Special labelling

Safety data sheet available for professional user on request.

### 2.3 Other hazards

#### Physico-chemical hazards

No particular hazards known.

#### Human health dangers

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Frequent persistent contact with the skin can cause skin irritation.

#### Other hazards

No particular hazards known.

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 2 / 8

**SECTION 3: Composition / Information on ingredients****Product-type:**

The product is a mixture.

Range [%]	Substance
1 - <5	Methacrylate copolymer
	EINECS/ELINCS: Polymer
	GHS/CLP: Eye Irrit. 2: H319
	EEC: Xi, R 36

**Comment on component parts**

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.  
For full text of H-statements and R-phrases: see SECTION 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information**

Change soaked clothing.

**Inhalation**

Ensure supply of fresh air.  
In the event of symptoms seek for medical treatment.

**Skin contact**

When in contact with the skin, clean with soap and water.  
Consult a doctor if skin irritation persists.

**Eye contact**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

**Ingestion**

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Seek medical advice immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

No information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

If swallowed or in the event of vomiting, risk of product entering the lungs.  
Forward this sheet to the doctor.

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media****Suitable extinguishing media**

Carbon dioxide.  
Dry powder.  
Foam.

**Extinguishing media that must not be used**

Full water jet.

**5.2 Special hazards arising from the substance or mixture**

Not combusted hydrocarbons.  
Unknown risk of formation of toxic pyrolysis products.  
Sulphur oxides (SO<sub>x</sub>).  
Nitrogen oxides (NO<sub>x</sub>).

**5.3 Advice for firefighters**

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.



Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 3 / 8

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).  
Dispose of absorbed material in accordance with the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid formation of aerosols.  
The product is combustible.  
Do not eat, drink or smoke when using this product.  
Use barrier skin cream.  
Wash hands before breaks and after work.  
Cloths contaminated with product should not be kept in trouser pockets.  
Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.  
Do not store together with food and animal food/diet.  
Do not store together with oxidizing agents.  
Keep container tightly closed.  
Keep container in a well-ventilated place.  
Protect from heat/overheating.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

Ingredients with occupational  
exposure limits to be monitored (GB)

not applicable

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 4 / 8

**8.2 Exposure controls**

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation.
<b>Eye protection</b>	Safety glasses.
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1.
<b>Thermal hazards</b>	none
<b>Delimitation and monitoring of the environmental exposition</b>	See SECTION 6+7.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>Form</b>	liquid
<b>Color</b>	red
<b>Odor</b>	mild
<b>Odour threshold</b>	not determined
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	not determined
<b>Flash point [°C]</b>	175 (DIN ISO 2592)
<b>Flammability [°C]</b>	not determined
<b>Lower explosion limit</b>	not determined
<b>Upper explosion limit</b>	not determined
<b>Oxidizing properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	< 0,01 (20°C)
<b>Density [g/ml]</b>	~0,86 (DIN 51757) (15 °C / 59,0 °F)
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Partition coefficient [n-octanol/water]</b>	not determined
<b>Viscosity</b>	~38 mm²/s (40°C) (DIN 51562/T1)
<b>Relative vapour density determined in air</b>	not determined
<b>Evaporation speed</b>	not determined
<b>Melting point [°C]</b>	~-40 (DIN ISO 3016)
<b>Autoignition temperature [°C]</b>	not determined
<b>Decomposition temperature [°C]</b>	> 65

**9.2 Other information**

No information available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No dangerous reactions known if used as directed.

**10.2 Chemical stability**

Stable under normal ambient conditions (ambient temperature).

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 5 / 8

**10.3 Possibility of hazardous reactions**

Reactions with strong oxidizing agents.  
Reactions with strong acids.

**10.4 Conditions to avoid**

See SECTION 7.2.  
Strong heating.

**10.5 Incompatible materials**

not determined

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

<b>Serious eye damage/irritation</b>	not determined
<b>Skin corrosion/irritation</b>	not determined
<b>Respiratory or skin sensitisation</b>	not determined
<b>Specific target organ toxicity — single exposure</b>	not determined
<b>Specific target organ toxicity — repeated exposure</b>	not determined
<b>Mutagenicity</b>	not determined
<b>Reproduction toxicity</b>	not determined
<b>Carcinogenicity</b>	not determined
<b>General remarks</b>	

No classification on the basis of the calculation procedure of the preparation directive.  
Toxicological data of complete product are not available.

**SECTION 12: Ecological information****12.1 Toxicity****12.2 Persistence and degradability**

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	not determined

**12.3 Bioaccumulative potential**

No information available.

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

Based on all available information not to be classified as PBT or vPvB respectively.

**12.6 Other adverse effects**

No classification on the basis of the calculation procedure of the preparation directive.

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 6 / 8

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product**

Disposal in an incineration plant in accordance with the regulations of the local authorities.  
Coordinate disposal with the disposal contractor/authorities if necessary.

**Waste no. (recommended)**

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

**Contaminated packaging**

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)**

150102  
150104  
150110\*

**SECTION 14: Transport information****14.1 UN number**

See SECTION 14.2 in accordance with UN shipping name

**14.2 UN proper shipping name**

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

**14.3 Transport hazard class(es)**

See SECTION 14.2 in accordance with UN shipping name

**14.4 Packing group**

See SECTION 14.2 in accordance with UN shipping name

**14.5 Environmental hazards**

See SECTION 14.2 in accordance with UN shipping name

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

not applicable



## Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 7 / 8

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EEC-REGULATIONS</b>	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
<b>TRANSPORT-REGULATIONS</b>	DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).
<b>NATIONAL REGULATIONS (GB):</b>	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
- Observe employment restrictions for people	no
- VOC (1999/13/CE)	not applicable

## 15.2 Chemical safety assessment

not applicable

## SECTION 16: Other information

## 16.1 R-phrases (SECTION 3)

R 36: Irritating to eyes.

## 16.2 Hazard statements (SECTION 3)

H319 Causes serious eye irritation.

## 16.3 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

## 16.4 Other information

## Modified position

SECTION 4 been added: Forward this sheet to the doctor.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.

SECTION 7 been added: Avoid formation of aerosols.

Safety Data Sheet 1907/2006/EC - REACH (GB)

febi 08971 automatic transmission fluid (ATF) Article number 08971, 30017,  
78971



**Ferdinand Bilstein GmbH + Co. KG**

Date printed 18.02.2014, Revision 07.02.2014

Version 03. Supersedes version: 02

Page 8 / 8