## ebi bilstein



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 1 / 8

#### SECTION 1: Identification of the substance / preparation and of the company

#### 1.1 Product identifier

febi 27975 CVT - Gear oil Article number 27975

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47

58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency phone

**Advisory body** +49 (0)89-19240 (24h) (english)

**Company** +49 2333 911-0

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

not determined

#### 2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

No classification.

2.2 Label elements

The product is required to be labelled in accordance with EC-Directives.

#### Labelling according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols none R-phrases none

Special labelling Contains: C14-C18 alpha-olefin epoxide and reaction products of boric acid. May produce an

allergic reaction.

2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

If swallowed or in the event of vomiting, risk of product entering the lungs.

**Environmental hazards** Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.





#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 2 / 8

#### **SECTION 3: Composition / Information on ingredients**

Product-type:

The product is a mixture.

Comment on component parts No dangerous components.

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

Headache

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.

Dry powder. Foam.

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

Prevent spread over a wide area (e.g. by containment or oil barriers).

## bilstein Park North Nort

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 3 / 8

#### 6.3 Methods and material for containment and cleaning up

Take up residues with absorbent material (e.g. sand).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

The product is combustible.

Wash hands before breaks and after work.

Use barrier skin cream.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

#### SECTION 8: Exposure controls / personal protection

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

**Eye protection** If there is a risk of splashing:

Safety glasses.

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

Nitrile rubber, >480 min (EN 374).

Neoprene, >480 min (EN 374).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity handled. The resistance of these equipments to

chemicals should be ascertained with the respective supplier.

Avoid contact with eyes and skin.

**Respiratory protection**Not required under normal conditions. **Thermal hazards**No information available.

Thermal hazards

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

## ebi bilstein



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 4 / 8

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Form** liquid Color amber colour Odor characteristic **Odour threshold** not determined pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not applicable 210 (ISO 2592) Flash point [°C] Flammability [°C] not determined Lower explosion limit not applicable Upper explosion limit not applicable

Oxidizing properties no

Vapour pressure/gas pressure [kPa] not determined

**Density [g/ml]** 0,848 (DIN 51757) (15 °C / 59,0 °F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 insoluble

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 34 mm<sup>2</sup>/s (DIN 51562) (40°C)

Relative vapour density determined

in air

not applicable

Evaporation speed not applicable

Melting point [°C] not determined

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] not determined

9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

#### 10.4 Conditions to avoid

See SECTION 7.2. Strong heating.

#### 10.5 Incompatible materials

not determined

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.





#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 5 / 8

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

**Acute toxicity** 

Serious eye damage/irritation not determined
Skin corrosion/irritation not determined
Respiratory or skin sensitisation not determined
Specific target organ toxicity — not determined
single exposure

Specific target organ toxicity —

repeated exposure

not determined

 Mutagenicity
 not determined

 Reproduction toxicity
 not determined

 Carcinogenicity
 not determined

**General remarks** 

No classification on the basis of the calculation procedure of the preparation directive.

Toxicological data of complete product are not available.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant not determined Biological degradability not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 6 / 8

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

For recycling, consult manufacturer.

In according to RoHS!

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Uncontaminated packaging may be reused.

Waste no. (recommended)

150102 150104 150110\*

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

NO DANGEROUS GOODS Inland navigation (ADN)

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

### 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

## **ebi** bilstein



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 7 / 8

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

no

- Observe employment restrictions

for people

- VOC (1999/13/CE) 0%

15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.2 Other information

Modified position SECTION 4 been added: Forward this sheet to the doctor.

SECTION 4 been added: Rinse out mouth and give plenty of water to drink.

SECTION 4 been added: If eye irritation persists: Get medical advice/attention.

SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

SECTION 7 been added: Take off contaminated clothing and wash before reuse.

SECTION 7 been added: Contaminated work clothing should not be allowed out of the

workplace.

# TUV NORD CENT OF THE PROPERTY OF THE PROPERTY

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Version 04. Supersedes version: 03

Page 8 / 8