Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 1 / 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Engine Oil SAE 10W-30 Article number: 104912, 104913 UFI: Y5JC-X9NP-Y008-V88C

Ferdinand Bilstein GmbH + Co. KG

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Engine oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com Address enquiries to Technical information info@febi.com

Technical information info@febi.com Safety Data Sheet info@febi.com

1.4 Emergency telephone number Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

	The product is required to be labelled in accordance with regulation CLP.
Hazard pictograms	
Hazard statements	H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	 P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P273 Avoid release to the environment. P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards

Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances. Contains no ingredients with endocrine-disrupting properties.
Other hazards	none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0

Page 2 / 12

3.2 Mixtures

	The product is a mixt	a mixture.	
	•	ubstance	
		istillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt)	
	-	AS: 64742-65-0, EINECS/ELINCS: 265-169-7, Reg-No.: 01-2119471299-27-XXXX	
		HS/CLP: Asp. Tox. 1: H304	
		is(nonylphenyl)amine	
		AS: 36878-20-3, EINECS/ELINCS: 253-249-4, Reg-No.: 01-2119488911-28-XXXX	
		GHS/CLP: Aquatic Chronic 4: H413	
		henol, (tetrapropenyl) derivatives	
	· · ·	:AS: 74499-35-7, EINECS/ELINCS: 616-100-8	
	1:	SHS/CLP: Repr. 1B: H360F - Skin Corr. 1C: H314 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic : H410, 1-Factor (acute): 10, M-Factor (chronic): 10	
	Comment on compo	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.	
EC	TION 4: First aid me	easures	
.1	Description of first	t aid measures	
	General information		
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Consult a doctor immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink.	
4.2 Most important symptoms and effects, both acute and delayed		mptoms and effects, both acute and delayed	
	, in the second s	No information available.	
4.3 Indication of any immediate medical attention and special treatment needed		mmediate medical attention and special treatment needed	
.0	indication of any in	Treat symptomatically.	
		Forward this sheet to your doctor.	
EC	TION 5: Fire-fighting	g measures	
5.1 Extinguishing media		dia	
••	• •		
	Suitable extinguishin		
	Extinguishing media be used	a that must not Full water jet	
.2	Special hazards ar	rising from the substance or mixture	
		Not combusted hydrocarbons. Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
.3	Advice for firefight	ters	
	, arise for mengin	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within	
		the local regulations.	

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0

Page 3 / 12

SECTION 6: Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures			
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.		
6.2	Environmental precautions			
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	Methods and material for contain	nment and cleaning up		
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling			
		Avoid formation of aerosols.		
		Do not smoke. Fire class (DIN EN 2): B		
		Do not eat, drink or smoke when using this product. Use barrier skin cream.		
		Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.		
		Take off contaminated clothing and wash before reuse.		
7.2	.2 Conditions for safe storage, including any incompatibilities			
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing agents.		
		Keep container tightly closed. Keep container in a well-ventilated place.		
7.3	Specific end use(s)			
		See product use, SECTION 1.2		

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 4 / 12

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not relevant

DNEL

Bis(nonvlphenvl)	amine, CAS: 36878-20-3
()())	
Industrial, derma	I, Long-term - systemic effects, 5 mg/kg bw/day
general population	on, oral, Long-term - systemic effects, 0.25 mg/kg bw/day
general population	on, dermal, Long-term - systemic effects, 2.5 mg/kg bw/day
Distillates (petrol	eum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Industrial, derma	l, Long-term - systemic effects, 970 μg/kg bw/day
Industrial, inhalat	ive, Long-term - local effects, 5.58 mg/m ³
Industrial, inhalat	ive, Long-term - systemic effects, 2.73 mg/m ³
general population	on, oral, Long-term - local effects, 740 μg/kg bw/day
Substance	
Bis(nonylphenyl)	amine, CAS: 36878-20-3
sediment (seawa	ter), 0.1 mg/kg sediment dw

PNEC

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
sediment (seawater), 0.1 mg/kg sediment dw
sediment (freshwater), 1 mg/kg sediment dw
seawater, 41.2 µg/L
freshwater, 412 µg/L
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9.33 mg/kg food

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	If there is a risk of splashing: safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0

Page 5 / 12

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	internation on baolo physical and	
	Physical state	liquid
	Form	liquid
	Color	brown
	Odor	characteristic
	Odour threshold	not relevant
	pH-value	not applicable
	pH-value [1%]	not applicable
	Boiling point [°C]	No information available.
	Flash point [°C]	> 240 (ISO 2592)
	Flammability (solid, gas) [°C]	No information available.
	Lower explosion limit	No information available.
	Upper explosion limit	No information available.
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	No information available.
	Density [g/cm³]	0.86 (DIN 51757) (15 °C / 59,0 °F)
	Relative density	not determined
	Bulk density [kg/m³]	not applicable
	Solubility in water	immiscible
	Solubility other solvents	No information available.
	Partition coefficient [n-octanol/water]	No information available.
	Kinematic viscosity	> 20.5 mm²/s (40° C) 12 mm²/s (100°C) (DIN 51562/T1)
	Relative vapour density	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Auto-ignition temperature [°C]	No information available.
	Decomposition temperature [°C]	No information available.
	Particle characteristics	No information available.
2	Other information	

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

Strong heating.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 6 / 12

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 7 / 12

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled.

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, oral, Rat, 5000 mg/kg bw

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0

LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance

	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0	
Eye, non-irritating	

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance	
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0	
dermal, non-irritating	

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0 dermal, non-sensitizing

Specific target organ toxicity — single exposure Specific target organ toxicity — repeated exposure		Based on the available information, the classification criteria are not fulfilled. Based on the available information, the classification criteria are not fulfilled.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0

Page 8 / 12

	Bis(nonylphenyl)am	Bis(nonylphenyl)amine, CAS: 36878-20-3		
	NOEL, oral, Rat, 100 mg/kg bw/day			
	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0			
	NOAEL, dermal, Ra	NOAEL, dermal, Rabbit, 1000 mg/kg bw/day		
	NOAEL, inhalative,	NOAEL, inhalative, Rat, 980 mg/m³ air		
	LOAEL, oral, Rat, 125 mg/kg bw/day			
Mutagenicity		Based on the available information, the classification criteria are not fulfilled.		
	Substance			
	Distillates (petroleu	m), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0		
in vitro, negativ				
Reproduction to	duction toxicity Based on the available information, the classification criteria are not fulfilled.			
- Fertility				
	Substance			
	Distillates (petroleu	m), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0		
	NOAEL, oral, Rat, 1	1000 mg/kg bw/d, no adverse effect observed		
- Development		No information available.		
Carcinogenicity		Based on the available information, the classification criteria are not fulfilled.		
Aspiration hazard	Ł	Based on the available information, the classification criteria are not fulfilled. On basis of test data		
General remarks		Frequent persistent contact with the skin can cause skin irritation.		
		Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.		
11.2 Information on	other hazards			
Endocrine disrup	ting properties	Contains no ingredients with endocrine-disrupting properties.		
Other information	n	none		

SECTION 12: Ecological information

12.1 Toxicity

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Invertebrates, 100 mg/L
EL50, (72h), Algae, 100 mg/L
NOELR, (21d), Invertebrates, 4.45 mg/L
NOELR, (33d), fish, 10 mg/L
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 9 / 12

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. Dispose of as hazardous waste.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 10 / 12

SECTION 14: Transport information		
14.1	1 UN number or ID number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
		and another block

Air transport in accordance with IATA not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 11 / 12

14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	no	
	- VOC (2010/75/CE)	0 %	
15.2 Chemical safety assessment			
		For this product a chemical safety assessment has not been carried out.	
SEC	SECTION 16: Other information		

16.1 Hazard statements (SECTION 3)

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H360F May damage fertility.

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Ferdinand Bilstein GmbH + Co. KG

Date printed 07.03.2023, Revision 07.03.2023



Version 5.0. Supersedes version: 4.0 Page 12 / 12

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50% LD50 = Median lethal dose
- LC0 = lethal concentration, 0%
- LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOAEL = No Observed Adverse Effect Leve NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure Modified position

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method) SECTION 11 been added: Contains no ingredients with endocrine-disrupting properties.

SECTION 12 been added: Contains no ingredients with endocrine-disrupting properties.